- [Claim 5] The apparatus of [c4], wherein the apparatus further references an environmental state definition, said state definition being time dependent.
- [Claim 6] The apparatus of [c5], wherein the apparatus further references an ontology of task information that defines allowable methods, parameters, and parameter bindings.
- [Claim 7] The apparatus of [c6], wherein the analysis engine is an simulator.
- [Claim 8] The apparatus of [c7], wherein the analysis engine performs human workload estimation.
- [Claim 9] The apparatus of [c6], wherein the analysis engine is a real-world exercise whose results are interpreted post-exercise.
- [Claim 10] The apparatus of [c6], wherein the task elaborator creates a Markov Decision Process (MDP) representation.
- [Claim 11] The apparatus of [c10], wherein the analysis engine is a MDP solver.
- [Claim 12] A method employed by the apparatus of [c7], comprising
 - a. editing a task template
 - b. specifying the environmental state in which the task template is to be examined
 - c. generating a plurality of task instances which are allowable given the task template specification and environmental state
 - d. analyzing the task templates thus generated.

ABSTRACT

[Para 45] A method and apparatus for creating, modifying, elaborating and analyzing a task template is disclosed. The task templates created or modified are preferably stored in a repository of templates which are used for further task template specification. The task templates, and processes which operate